

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier:**Trade name: *Eclipse Floor 300***1.2 Relevant identified uses of the substance or mixture, and uses advised against:**

Relevant identified uses of the substance or mixture: Concrete Admixtures

Identified uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:**Manufacturer/supplier:**

Grace Construction Products
W. R. Grace Italiana S.p.A
Via Trento, 7
20017 Passirana Di Rho (Mi)

Tel: ++39 02 93537 1
Fax: ++39 02 93537 516

www.gcpat.com

Further information obtainable from: msds.gcp@gcpat.com

1.4 Emergency telephone number:

After hours - Tel. No.: 1800 039 008 (AU) or + 61 8-6258-0500

+44 (0)1235 239 670 (Multi-lingual – 24 Hours)

+44 (0)1235 239 671 (Dedicated phone line for Arabic speaking countries - 24 Hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture:****Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements:**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS07

Signal word Warning**Hazard statements**

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 1)

2.3 Other hazards:**Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterization: Mixtures:****Description:**

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:

CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8	2-(2-butoxyethoxy)ethanol	Eye Irrit. 2, H319	50-100%
CAS: 83713-01-3	Polyoxyalkyleneamine	Acute Tox. 3, H301 Skin Corr. 1B, H314	0.1-1.0%

Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures:****General information:** Get medical advice/attention if you feel unwell.**After inhalation:** No special measures required.**After skin contact:** Wash with plenty of soap and water.**After eye contact:** Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed: Irritating to eyes.**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media:****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.**5.2 Special hazards arising from the substance or mixture:** No further relevant information available.**5.3 Advice for firefighters:****Protective equipment:** Wear self-contained respiratory protective device.**Additional information:** Collect contaminated fire fighting water separately. It must not enter the sewage system.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

GB

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Prevent formation of aerosols.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

STORAGE

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm
	Long-term value: 67.5 mg/m ³ , 10 ppm

Additional information: Based on the lists valid at the date of SDS creation.

8.2 Exposure controls:

PERSONAL PROTECTIVE EQUIPMENT

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

(Contd. on page 4)

GB

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 3)

Protection of hands: Protective gloves.

Material of gloves: PVC gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

GENERAL INFORMATION

Appearance:

Form:	Liquid.
Colour:	Colourless.
Odour:	Characteristic.
Odour threshold:	Not determined.

pH-value (~): Not determined.

Change in conditions:-

Melting point/Melting range:	-68 °C
Boiling point/Boiling range:	>100 °C
Flash point:	>100 °C

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 225 °C

Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.

EXPLOSION LIMITS

Lower:	0.9 Vol %
Upper:	5.9 Vol %

Vapour pressure at 20 °C:	0.027 hPa
Density at 20 °C:	1 g/cm ³
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.

Solubility in/Miscibility with:-
Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

VISCOSITY

Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	162.23 g/mol
	Not applicable.

9.2 Other information: No further relevant information available.

GB
(Contd. on page 5)

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 4)

SECTION 10: Stability and reactivity**10.1 Reactivity:** Stable under normal conditions.**10.2 Chemical stability:****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**10.4 Conditions to avoid:** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide.**SECTION 11: Toxicological information****11.1 Information on toxicological effects:****ACUTE TOXICITY** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****112-34-5 2-(2-butoxyethoxy)ethanol**

Dermal | LD50 | 5660 mg/kg (rat)

| LD50 | 4000 mg/kg (rabbit)

83713-01-3 Polyoxyalkyleneamine

Oral | LD50 | 296 mg/kg (rat)

Primary irritant effect:-**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation**

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity:****AQUATIC TOXICITY** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**ADDITIONAL ECOLOGICAL INFORMATION****General notes:** Not known to be hazardous to water.**12.5 Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects:** No further relevant information available.GB
(Contd. on page 6)

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 5)

SECTION 13: Disposal considerations**13.1 Waste treatment methods:****Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue:

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 99	wastes not otherwise specified

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information**14.1 UN-Number**

ADR, ADN, IMDG, IATA

Not Regulated

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA

Not Regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Not Regulated

14.4 Packing group

ADR, IMDG, IATA

Not Regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user:

Not Regulated

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not Regulated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

See Section 2 for hazard identification.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations: All components EINECS listed or exempt.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

Safety data sheet
According to 453/2010/EC & 1272/2008/EC (CLP)

Printing Date: 26.04.2016

Version Number: 1.0

Revision Date: 26.04.2016

Trade name: *Eclipse Floor 300*

(Contd. of page 6)

Relevant phrases:

H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.

Department issuing SDS:

Product Stewardship Department
GCP Applied Technologies
580-581 Ipswich Road,
Slough, Berkshire.
SL1 4EQ

Tel: +44 (0)1753 490 000

Fax: +44 (0)1753 490 051

The first date of preparation: 26.04.2016**Number of revision times and the latest revision date:** 1.0 / 26.04.2016

GB